



EUROGUARCO

## Technical Parameter and Configuration for Automatic HACK SAWING MACHINE

**Model: HS7125**

➤ **Machine Characteristics**

**Main Features:**

1. Automatic cutting process
2. With clamping feeding device
3. With safety protection device
4. It has different speeds and wide cutting scope.
5. Hydraulic transmission, simple running, easy upkeep.

**Standard accessories:**

1. Blade
2. coolant
3. Roller stand.
4. Clamping Handle



**Model: HS7132**

➤ **Machine Characteristics**

**Main Features:**

1. Automatic cutting process
2. With clamping feeding device
3. With safety protection device
4. It has different speeds and wide cutting scope.
5. Hydraulic transmission, simple running, easy upkeep.

**Standard accessories:**

1. Blade
2. coolant
3. Roller stand.
4. Clamping Handle



Model		HS7125	HS7132	HS7140	HS7150
Cutting capacity	Round bar	250mm	320mm	400mm	500mm
	Square bar	220x220mm	290x290mm	330x330mm	400x400mm
	Oblique saw	45°	45°	45°	45°
Sawing speed		43,50,60,86,1001 20	34,60,84	34,60,84	34,60,84
Blade size		450x45x2.25mm	600x50x2.5mm	650x55x2.5mm	750x63x2.5mm
Main motor		3.22kw	3.44kw	4.34kw	4.34kw
Coolant pump motor		0.04kw 2step	0.04kw 2step	0.04kw 2step	0.09kw 2step
Saw blade rapid down		0.25kw 4step	0.25kw 4step	0.25kw 4step	0.25kw 4step
Packing size		2000x950x1300 mm	2440x1020x1600 mm	2440x1020x1600 mm	2440x1190x1760 mm
N.W./G.W.		600/830kg	1100/1350kg	1200/1450kg	1450/1700kg





